

nuudo.

Versa

# Create emotions with lighting

## nuudo.

nuudo. een merk dat ontstaan is uit passie voor hoogwaardig afgewerkte producten in combinatie met innovatieve oplossingen om een perfect lichtbeeld te creëren.

Met het oog van een vakman en het hart van een vormgever worden de armaturen van nuudo. ontworpen door ons internationale designteam.

Design, engineering en eindproductie vindt plaats in onze eigen atelier in Nederland, waardoor wij de hoogste kwaliteit kunnen waarborgen.

Unieke details, veelzijdigheid in samenstellingen en trends in vormgeving maken nuudo de perfecte partner voor een ieder die deze passie deelt.

Alleen samen kunnen we emotie met licht creëren.

nuudo.

nuudo. a brand created out of passion for high-quality finished products with innovative solutions to create a perfect light image.

With the eye of a professional and the heart of a designer, the luminaires of nuudo. are designed by our international design team.

Design, engineering and final production takes place in our own workshop in the Netherlands, so that we can guarantee the highest quality.

Unique details, versatility in compositions and trends in design make nuudo. the perfect partner for everyone who shares this passion.

Only together can we create emotion with light.

nuudo.

# Versa

MODULAR FLEXIBILITY

De modulariteit van de Versa maakt hem veelzijdig toepasbaar. Meerdere vormen en maten in combinatie met een breed kleurenpalet zorgen voor eenheid in de ruimte.

De serie stelt je in staat om flexibel sferen te creëren; ook de montage kenmerkt zich door gemak. Na montage stelt het systeem je in staat gemakkelijk van sfeer te veranderen.


The modularity of the Versa series makes for versatile application. Various shapes and sizes combined with a broad color palette create unity in the interior.



The series enables you to create ambiance in a flexible way; the assembly is also characterized by convenience. Even after assembly, the system allows you to easily change the atmosphere.











Flexibility to create  
atmosphere


# Versa LED DOWNLIGHT | ADJUSTABLE




## Product information

LED Power	11W
System Power	13W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	775lm / 800lm / 850lm
System Efficiency	up to 65lm / W
Certification	CE / ROHS

## Dimensions



## Accessory



Anti-glare accessory  
Honeycomb mesh

## Trim



Ø 68mm



Round trim  
Black / White



Trimless  
White

## Primary



24° / 40°

Primary Lens  
Available for Ø68 downlight.




55°

Primary Reflector  
Available for Ø68 downlight.


## Reflectors



Black



Black Chrome



Dark Specular



Gold



Matt




White

Secondary Reflector (round adjustable)  
Available for Ø68 downlight.



# Versa


## LED DOWNLIGHT | ADJUSTABLE



### Product information

LED Power	11W
System Power	13W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	775lm / 800lm / 850lm
System Efficiency	up to 65lm / W
Certification	CE / ROHS

### Dimensions



### Accessory




Anti-glare accessory  
Honeycomb mesh

### Trim



Square trim  
Black / White



Trimless  
White

### Primary



24° / 40°


Primary Lens  
Available for Ø68 downlight.




55°

Primary Reflector  
Available for Ø68 downlight.


### Reflectors




Black




Black Chrome




Dark Specular



Gold



Matt



White

Secondary Reflector (square adjustable)  
Available for Ø68 downlight.

# Versa


## LED DOWNLIGHT | ADJUSTABLE DOUBLE AND TRIPLE FRAME



### Product information

LED Power	2 x 11W / 3 x 11W
System Power	2 x 13W / 3 x 13W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen (double)	1550lm / 1600lm / 1700lm
System Lumen (triple)	2325lm / 2400lm / 2550lm
System Efficiency	up to 65lm / W
Certification	CE / ROHS

### Dimensions



### Accessory



Anti-glare accessory  
Honeycomb mesh


### Trimless



134 x 68mm



198 x 68mm



Trimless  
White

### Primary



24° / 40°


Primary Lens  
Available for Ø68 downlight.




55°

Primary Reflector  
Available for Ø68 downlight.


### Reflectors



Black




Black Chrome




Dark Specular



Gold



Matt



White

Secondary Reflector (square adjustable)  
Available for Ø68 downlight.

# Versa


## LED DOWNLIGHT | ADJUSTABLE




### Product information

LED Power	18W
System Power	22W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	1050lm / 1100lm / 1200lm
System Efficiency	up to 57lm / W
Certification	CE / ROHS

### Dimensions



### Accessory



Anti-glare accessory  
Honeycomb mesh

### Trim



Round trim  
Black / White



Trimless  
White

### Anti-glare ring



Anti-glare ring  
Included

### Primary Reflector




20° / 40° / 50°

Primary Reflector  
Available for Ø100 downlight.

### Reflectors



Black



Black Chrome



Dark Specular



Gold




Matt



White

Secondary Reflector (round adjustable)  
Available for Ø100 downlight.


# Versa LED DOWNLIGHT | FIXED



## Product information

LED Power	18W
System Power	22W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	1050lm / 1100lm / 1200lm
System Efficiency	up to 57lm / W
Certification	CE / ROHS

## Dimensions



## Accessory



Anti-glare accessory  
Honeycomb mesh

## Trim



Round trim  
Black / White



Trimless  
White

## Anti-glare ring



Anti-glare ring  
Included

## Primary Reflector



20° / 40° / 50°

Primary Reflector  
Available for Ø100 downlight.


## Reflectors



Black



Black Chrome



Dark Specular



Gold



Matt




White

Secondary reflector (round fixed)  
Available for Ø100 downlight.

# Versa


## LED DOWNLIGHT | ADJUSTABLE



### Product information

LED Power	18W
System Power	22W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	1050lm / 1100lm / 1200lm
System Efficiency	up to 57lm / W
Certification	CE / ROHS

### Dimensions




### Accessory




Anti-glare accessory  
Honeycomb mesh

### Trim



96 x 96mm



Square trim  
Black / White



Trimless  
White

### Anti-glare ring



Anti-glare ring  
Included


### Primary Reflector




20° / 40° / 50°

Primary Reflector  
Available for Ø100 downlight.


### Reflectors



Black




Black Chrome



Dark Specular



Gold




Matt



White

Secondary Reflector (square adjustable)  
Available for Ø100 downlight.


# Versa LED DOWNLIGHT | FIXED



## Product information

LED Power	18W
System Power	22W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	1150lm / 1200lm / 1300lm
System Efficiency	up to 62lm / W
Certification	CE / ROHS

## Dimensions



## Accessory




Anti-glare accessory  
Honeycomb mesh


## Trim



96 x 96mm



Square trim  
Black / White



Trimless  
White

## Anti-glare ring



Anti-glare ring  
Included


## Primary Reflector




20° / 40° / 50°

Primary Reflector  
Available for Ø100 downlight.


## Reflectors




Black




Black Chrome




Dark Specular



Gold



Matt



White

Secondary Reflector (square adjustable)  
Available for Ø100 downlight.

# Versa LED DOWNLIGHT | WALL WASHER



## Trim



Square trim  
Black / White



Trimless  
White

## Reflectors



Wall Washer




Asymmetric Reflector (matt)  
Available for Ø100 downlight.

## Product information

LED Power	18W
System Power	22W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	625lm / 650lm / 700lm
System Efficiency	up to 33lm / W
Certification	CE / ROHS

## Dimensions



# Versa LED DOWNLIGHT | WALL WASHER



## Trim



Round trim  
Black / White



Trimless  
White

## Reflector



Wall Washer




Asymmetric Reflector  
Available for Ø100 downlight.

## Product information


LED Power	18W
System Power	22W
CRI	>90Ra
CCT	2700K / 3000K / 4000K
System Lumen	625lm / 650lm / 700lm
System Efficiency	up to 33lm / W
Certification	CE / ROHS

## Dimensions






# Versa BUILD YOUR OWN




Build your own Versa: [www.nuudo.com/products/versa](http://www.nuudo.com/products/versa)



# Versa

## BUILD YOUR OWN - EXAMPLE



### Configuration example

Base Code	VR					
Size	S	M				
Shape	RT	ST				
Lights	1	2	3			
Trim	T	X				
Trim Color	W	B				
Beam Angle	2	4	5			
Reflector Color	B	W	G	D	M	C
Honeycomb	H	X				
CRI	9					
CCT	27	30	40			
LED Driver	N	P	V	D		

VR  
 Small / Medium  
 Round Tilttable / Square Tilttable  
 1-light / 2-light / 3-light  
 Trim / No Trim  
 White / Black  
 24° / 40° / 55°  
 Black / White / Gold / Dark Specular / Matt / Black Chrome  
 Honeycomb / No Honeycomb  
 90  
 2700K / 3000K / 4000K  
 Non-Dimmable / Phase Cut / 1-10V / Dali

Product code: VRSRT1TW2BH927N

Product image:



