


Bex COB Module



LIGHT SOURCES

Bex

LED Module COB

50mm





8W
 Power

Up to
750lm
 Lumen

2700K
3000K
 CCT



Product Information	Power	8W	
	CRI	>80Ra	
	CCT	2700K	3000K
	System Lumen	700lm	750lm
	Efficacy	88lm/W	94lm/W
	Driver	350mA Dimmable Driver with Quick Connector (included) Leading Edge / Trailing Edge	
	Reflector	 40° Low-glare included	



System includes: fixture, driver and quick connector





Quick connector (included)

COB Bex 2700K

H [m]	[lux]	Beam [Ø cm]	Field [Ø cm]
1	1792	60	120
2	448	120	240
3	199	190	360
4	112	250	480
5	72	310	610

Beam (50%) Angle: 35° Field (10%) Angle: 63°




Article No.	Product Name	System Lumen	CCT	CRI	Cooling	Material	Power	Reflector	Height	Diameter
2.01.0766	LED Module COB Bex 50mm	700lm	2700K	>80Ra	Passive	Aluminium	8W	40 °	60mm	Ø50mm
2.01.0767	LED Module COB Bex 50mm	750lm	3000K	>80Ra	Passive	Aluminium	8W	40 °	60mm	Ø50mm

RetroSpot LupaLED

Light Source

LED Lamp / GU10



Power	6.8W	Product Information
Input Voltage	230V	
CRI	>80Ra	
CCT	2700K	
System Lumen	380lm	
Efficacy	56lm/W	
Lampholder	GU10	
Lens	 38°	

Article No.	Product Name	Lumen	CCT	CRI	Cooling	Material	Power	Lens	Height	Diameter
7.10.0932	RetroSpot LupaLED Gen2 GU10 Dimmable	380lm	2700K	>80Ra	Passive	Aluminium	6.8W	38 °	56mm	Ø50mm