



LumiParts

Lumi Parts

Lumiparts has grown to an international LED lighting specialist. We provide a wide and varied range of professional lighting applications. As a manufacturer of lighting we serve our customers with high quality, innovative and sustainable products, designed to meet the needs of the customer. Product innovation is one of our highest priorities. With our knowledge of the market we design stylish products based on the most advanced lighting technology.

Our product range includes LED lighting suitable for almost all lighting purposes. Our products are energy efficient, have a high light quality, long life and require minimal maintenance. This results in a high quality product with low cost of ownership.

Our lighting specialists are able to help you fill in your lighting needs. We deliver our products directly from our warehouse. If you're looking for specific lighting solutions we are able to provide you with a tailor-made concept or product. With our assembly department in The Netherlands, we are able to quickly meet all your lighting needs.



Legend



IP-code (Ingress Protection Rating): a global standard, which indicates the level of protection of electrical products (in this case, a fixture) against external influences. The IP-code consists of two numbers: the first number indicates the degree of protection against ingress of solid particles and the second number indicates the degree of protection from moisture.



Solid particle protection against objects larger than 12.5 mm.



Solid particle protection against objects larger than 1mm.



Dust tight: No ingress of dust; complete protection against contact.



No protection against contact and ingress of liquid.



Liquid ingress protection against water splashes.



Liquid ingress protection against water jets.



The CE marking indicates a product's compliance with EU legislation and so enables the free movement of products within the European market.



Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment.



Suitable for indoor application.



Protection Class III: The appliance is supplied from a separated / safety extra-low voltage (SELV) power source.



Maximum tilting angle.



Maximum turning angle.



Suitable for installations on regularly flammable surfaces.

Important: Lumi Parts recommends the following LED Dimmers in combination with our products:

- Jung 225NVDE (3-100W)
- Peha LED Dimmer 431 HAN LED (6-60W LED)
- Busch-Jaeger 6523U-102 LED Dimmer (2-100W LED)
- LED Dimmer 1-10V (the above-mentioned dimmers are also optional in 1-10V if specified under the heading 'Driver')

It is advisable to test the configuration first, before proceeding with the installation. The amount of connected spotlights will depend on the total power in Watts or VA of the dimmer.

Contents




Focus
Round
Tiltable
8.4W

6




Focus
Round
Fixed / Tiltable
16W

6



Focus
Round
Tiltable
22W

6




Smooth
Round / Square
Tiltable
8.4W

7




Smooth
Round / Square / Square Double
Turn- and Tiltable
8.4W

7




Smooth
Round
Tiltable
16W

7




Aqua
Round
Fixed
8.4W

8



Bex
Round
Tiltable
8W

8



Bex
Square
Tiltable
8W

8




Etagé
Round
Tiltable Deep
13W

9



Etagé
Square
Tiltable Deep
13W

9



Lika
Round
Tiltable
13W

9



Lika
Square
Tiltable
13W

9



Vela
Round
Fixed Deep
12W

10



Fondo
Round
Fixed Deep
12W

10



Fondo
Round
Tiltable Deep
12W

10




Fondo Asymmetric
Round
Fixed Deep
12W

11




Fondo Asymmetric
Square
Fixed Deep
12W

11




Squadra
Square
Tiltable Deep
12W

11





Teto
Round Tiltable Deep Dark
Round Tiltable Deep Glossy

12



Dark
Round Tiltable Deep
Oval Tiltable Deep
12W

12



Accent Two
Round
Fixed
3W

13



Accent Two Frame
Accessory
Round
Fixed

13

Article numbers

14 / 22





Focus
Round
Tiltable
8.4W



Height: 42 mm
Diameter: 88 mm
Cutout size: 75 mm

☐ Chrome

☒ Brushed Aluminium

☐ White



Focus
Round
Fixed / Tiltable
16W




Height: 86 mm
Diameter: 85 mm
Cutout size: 65 mm / 75 mm

☐ Chrome

☒ Brushed Aluminium

☐ White

☒ Black



Focus
Round
Tiltable
22W



Height: 115 mm
Diameter: 105 mm
Cutout size: 90 mm

☐ Chrome

☒ Brushed Aluminium

☐ White

☒ Black




Smooth
Round / Square
Tiltable
8.4W



Height: 44 mm
Diameter: 82 mm
Cutout size: 68 mm

☒ Aluminium

☐ White




Smooth
Round / Square / Square Double
Turn- and Tiltable
8.4W



Height: 44 mm
Diameter: 93 mm / 90 x 90
Cutout size: 75 mm / Frame for double Smooth spot: 80 x 155 mm

☒ Aluminium

☐ White



Smooth
Round
Tiltable
16W



Height: 50 mm
Diameter: 110 mm
Cutout size: 95 mm

☒ Aluminium


☐ White

Product Information	Type & System Power	Focus Round Tiltable 8.4W		Focus Round Fixed / Tiltable 16W			Focus Round Tiltable 22W			Smooth Round / Square / Tiltable 8.4W		Smooth Round / Square / Square Double / Turnable and Tiltable 8.4W		Smooth Round Tiltable 16W	
	LED Power	6W		13W			19W			6W		6W		12W	
	CRI (Ra)	>90Ra		>90Ra			>90Ra			>90Ra		>90Ra		>90Ra	
	CCT	2700K	3000K	2700K	3000K	4000K	2700K	3000K	4000K	2700K	3000K	2700K	3000K	2700K	3000K
	LED Lumens	520lm	550lm	1210lm	1320lm	1490lm	1640lm	1750lm	1860lm	520lm	550lm	520lm	550lm	930lm	1000lm
	LED Efficacy	84lm/W	89lm/W	93lm/W	102lm/W	115lm/W	86lm/W	92lm/W	98lm/W	87lm/W	92lm/W	87lm/W	92lm/W	78lm/W	83lm/W
	LOR	>85%		Up to 90%			Up to 90%			>85%		>85%		>82%	
	Driver	Included: 350mA Non-Dimmable or Dimmable Driver (Phase cut-off)		Included: 350mA Dimmable Driver (Phase cut-off) / 1-10V			Included: 350mA Dimmable Driver (Phase cut-off) / 1-10V			Included: 350mA Non-Dimmable or Dimmable Driver (Phase cut-off)		Included: 350mA Dimmable Driver (Phase cut-off) / 1-10V		Included: 350mA Dimmable Driver (Phase cut-off) / 1-10V	
	Reflector	 38° (included)		 24° 32° 50° (included)			 24° 32° 50° (included)			 38° (included)		 38° (included)		 38° (included)	

Aqua & Bex

Article numbers on page 16







Aqua
Round
Fixed
8.4W

IP 65

Height: 60 mm
Diameter: 79 mm
Cutout size: 60 mm

● Aluminium
○ White



Bex
Round
Tilttable
8W

IP 20

Height: 56 mm
Diameter: 86 mm
Cutout size: 76 mm

● Brushed Aluminium
○ White

Bex
Square
Tilttable
8W

IP 20


Height: 56 mm
Diameter: 86 x 86 mm
Cutout size: 76 mm

● Brushed Aluminium
○ White



Etage & Lika

Article numbers on page 17 / 18



Etage
Round
Tilttable Deep
13W

CREE

IP 44

Height: 54 mm
Diameter: 95 mm
Cutout size: 80 mm

● Grey
○ White
● Black


Etage
Square
Tilttable Deep
13W

CREE

IP 44

Height: 54 mm
Diameter: 95 x 95 mm
Cutout size: 80 mm

● Grey
○ White
● Black



Lika
Round
Tilttable
13W

CREE

IP 44

Height: 46 mm
Diameter: 95 mm
Cutout size: 80 mm

● Grey
○ White
● Black

Lika
Square
Tilttable
13W

CREE

IP 44

Height: 46 mm
Diameter: 95 x 95 mm
Cutout size: 80 mm

● Grey
○ White
● Black

Product Information	Type & System Power
	LED Power
	CRI (Ra)
	CCT
	LED Lumens
	LED Efficacy
	LOR
	Driver
Reflector	

Aqua Round Fixed 8.4W	
6W	
>90Ra	
2700K	3000K
520lm	550lm
87lm/W	92lm/W
-	
Included: 350mA Non-Dimmable or Dimmable Driver (Phase cut-off)	
 38° (included)	

Bex Round Tilttable / Square Tilttable 8W	
6W	
>80Ra	
2700K	3000K
700lm	750lm
88lm/W	84lm/W
-	
Included: 350mA Dimmable Driver (Phase cut-off) / 1-10V	
 40° Low-glare (included)	

Etage Round Tilttable Deep / Square Tilttable Deep 13W		
9W		
>90Ra		
2700K	3000K	4000K
700lm	740lm	790lm
78lm/W	82lm/W	88lm/W
83%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA available)		
 38° Low-glare (included)		

Lika Round Tilttable / Square Tilttable 13W		
9W		
>90Ra		
2700K	3000K	4000K
700lm	740lm	790lm
78lm/W	82lm/W	88lm/W
>87%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA available)		
 38° Low-glare (included)		





Vela
Round
Fixed Deep
12W

CREE

IP 44

Height: 68 mm
Diameter: 82 mm
Cutout size: 75 mm

● Grey
○ White
● Black



Fondo
Round
Fixed Deep
12W

CREE

IP 44

Height: 68 mm
Diameter: 82 mm
Cutout size: 75 mm

● Grey
○ White
● Black



Fondo
Round
Tilttable Deep
12W

CREE

IP 44

Height: 62 mm
Diameter: 82 mm
Cutout size: 70 mm

● Grey
○ White
● Black





Fondo Asymmetric
Round
Fixed Deep
12W

CREE

IP 44

Height: 104 mm
Diameter: 95 mm
Cutout size: 85 mm

● Grey
○ White
● Black




Fondo Asymmetric
Square
Fixed Deep
12W

CREE

IP 44

Height: 104 mm
Diameter: 95 x 95 mm
Cutout size: 85 mm

● Grey
○ White
● Black



Squadra
Square
Tilttable Deep
12W

CREE

IP 44

Height: 56 mm
Diameter: 100 x 100 mm
Cutout size: 90 mm

● Grey
○ White
● Black

Product Information	Type & System Power
	LED Power
	CRI (Ra)
	CCT
	LED Lumens
	LED Efficacy
	LOR
	Driver
Reflector	



Vela Round Fixed Deep 12W		
9W		
>90Ra		
2700K	3000K	4000K
650lm	700lm	800lm
72lm/W	78lm/W	89lm/W
81%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA driver available)		
 38° Low-glare (included)		

Fondo Round Fixed Deep / Round Tilttable Deep 12W		
9W		
>90Ra		
2700K	3000K	4000K
650lm	700lm	800lm
72lm/W	78lm/W	89lm/W
Up to 81%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA driver available)		
 38° Low-glare (included)		

Fondo Asymmetric Round Fixed Deep / Square Fixed Deep 12W		
9W		
>90Ra		
2700K	3000K	4000K
650lm	700lm	800lm
72lm/W	78lm/W	89lm/W
Up to 75%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA driver available)		
 20° Low-glare (included)		

Squadra Square Tilttable Deep 12W		
9W		
>90Ra		
2700K	3000K	4000K
650lm	700lm	800lm
72lm/W	78lm/W	89lm/W
80%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA driver available)		
 38° Low-glare (included)		







Teto
Round Tilttable Deep Dark
Round Tilttable Deep Glossy
12W

Height: 80 mm
Diameter: 90 mm
Cutout size: 75 mm

● Grey
○ White
● Black

CREE

20°
IP 20



Dark
Round Tilttable Deep
Oval Tilttable Deep
12W

Height: 80 mm
Diameter: 90 mm
Cutout size: 75 mm

● Grey
○ White
● Black

CREE

20°
IP 20





Accent Two
Round
Fixed
3W

Height: 14 mm
Diameter: 72 mm
Cutout size: 55 mm

● Brushed Aluminium
○ White

Accent Two Frame
Accessory
Round
Fixed


Height: 17 mm
Diameter: 72 mm
Cutout size: n/a

● Brushed Aluminium
○ White

Product Information	Type & System Power
	LED Power
	CRI (Ra)
	CCT
	LED Lumens
	LED Efficacy
	LOR
	Driver
	Reflector

Teto Round Tilttable Deep Dark / Round Tilttable Deep Glossy 12W		
9W		
>90Ra		
2700K	3000K	4000K
650lm	700lm	800lm
72lm/W	78lm/W	89lm/W
Up to 71%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA available)		
 20° Low-glare (included)		

Dark Round Tilttable Deep / Oval Tilttable Deep 12W		
9W		
>90Ra		
2700K	3000K	4000K
650lm	700lm	800lm
72lm/W	78lm/W	89lm/W
Up to 40%		
Included: 500mA Non-Dimmable or Dimmable Driver (Phase cut-off) (upon request 350mA available)		
 20° Low-glare (included)		

Accent Two Round Fixed 3W Accent Two Frame Accessory: Round Fixed	
Maximum 3W	
>80Ra	
3000K	
up to 240lm	
84lm/W	
>85%	
Maximum 350mA Constant Current LED Driver (Phase cut-off) (not included)	
 90° (included)	 2m cable with Miniplug (included)

Focus

Round Tilttable 8.4W	Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
	2.11.1612 / 2.11.1613 ¹	Focus Round Tilttable 8.4W	Chrome	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1615 / 2.11.1616 ¹	Focus Round Tilttable 8.4W	Brushed Aluminium	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1618 / 2.11.1619 ¹	Focus Round Tilttable 8.4W	White	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1621 / 2.11.1622 ¹	Focus Round Tilttable 8.4W	Chrome	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.11.1624 / 2.11.1625 ¹	Focus Round Tilttable 8.4W	Brushed Aluminium	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.11.1627 / 2.11.1628 ¹	Focus Round Tilttable 8.4W	White	550lm	3000K	>90Ra	6W	38°	Ø 75mm
Round Fixed 16W	2.11.1424 ¹	Focus Round Fixed 16W	Chrome	1210lm	2700K	>90Ra	13W	32°	Ø 65mm
	2.11.1425 ¹	Focus Round Fixed 16W	Brushed Aluminium	1210lm	2700K	>90Ra	13W	32°	Ø 65mm
	2.11.1426 ¹	Focus Round Fixed 16W	White	1210lm	2700K	>90Ra	13W	32°	Ø 65mm
	2.11.1427 ¹	Focus Round Fixed 16W	Black	1210lm	2700K	>90Ra	13W	32°	Ø 65mm
	2.11.1428 ¹	Focus Round Fixed 16W	Chrome	1320lm	3000K	>90Ra	13W	32°	Ø 65mm
	2.11.1429 ¹	Focus Round Fixed 16W	Brushed Aluminium	1320lm	3000K	>90Ra	13W	32°	Ø 65mm
	2.11.1430 ¹	Focus Round Fixed 16W	White	1320lm	3000K	>90Ra	13W	32°	Ø 65mm
	2.11.1431 ¹	Focus Round Fixed 16W	Black	1320lm	3000K	>90Ra	13W	32°	Ø 65mm
	2.11.1432 ¹	Focus Round Fixed 16W	Chrome	1490lm	4000K	>90Ra	13W	32°	Ø 65mm
	2.11.1433 ¹	Focus Round Fixed 16W	Brushed Aluminium	1490lm	4000K	>90Ra	13W	32°	Ø 65mm
	2.11.1434 ¹	Focus Round Fixed 16W	White	1490lm	4000K	>90Ra	13W	32°	Ø 65mm
	2.11.1435 ¹	Focus Round Fixed 16W	Black	1490lm	4000K	>90Ra	13W	32°	Ø 65mm
Round Tilttable 16W	2.11.1436 ¹	Focus Round Tilttable 16W	Chrome	1210lm	2700K	>90Ra	13W	32°	Ø 75mm
	2.11.1437 ¹	Focus Round Tilttable 16W	Brushed Aluminium	1210lm	2700K	>90Ra	13W	32°	Ø 75mm
	2.11.1438 ¹	Focus Round Tilttable 16W	White	1210lm	2700K	>90Ra	13W	32°	Ø 75mm
	2.11.1439 ¹	Focus Round Tilttable 16W	Black	1210lm	2700K	>90Ra	13W	32°	Ø 75mm
	2.11.1440 ¹	Focus Round Tilttable 16W	Chrome	1320lm	3000K	>90Ra	13W	32°	Ø 75mm
	2.11.1441 ¹	Focus Round Tilttable 16W	Brushed Aluminium	1320lm	3000K	>90Ra	13W	32°	Ø 75mm
	2.11.1442 ¹	Focus Round Tilttable 16W	White	1320lm	3000K	>90Ra	13W	32°	Ø 75mm
	2.11.1443 ¹	Focus Round Tilttable 16W	Black	1320lm	3000K	>90Ra	13W	32°	Ø 75mm
	2.11.1444 ¹	Focus Round Tilttable 16W	Chrome	1490lm	4000K	>90Ra	13W	32°	Ø 75mm
	2.11.1445 ¹	Focus Round Tilttable 16W	Brushed Aluminium	1490lm	4000K	>90Ra	13W	32°	Ø 75mm
	2.11.1446 ¹	Focus Round Tilttable 16W	White	1490lm	4000K	>90Ra	13W	32°	Ø 75mm
	2.11.1447 ¹	Focus Round Tilttable 16W	Black	1490lm	4000K	>90Ra	13W	32°	Ø 75mm

¹ Article number with ¹ indicates that a Dimmable Driver is included.

Focus

Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
2.11.1448 ¹	Focus Round Tilttable 22W	Chrome	1640lm	2700K	>90Ra	19W	30°	Ø 90mm
2.11.1449 ¹	Focus Round Tilttable 22W	Brushed Aluminium	1640lm	2700K	>90Ra	19W	30°	Ø 90mm
2.11.1450 ¹	Focus Round Tilttable 22W	White	1640lm	2700K	>90Ra	19W	30°	Ø 90mm
2.11.1451 ¹	Focus Round Tilttable 22W	Black	1640lm	2700K	>90Ra	19W	30°	Ø 90mm
2.11.1452 ¹	Focus Round Tilttable 22W	Chrome	1750lm	3000K	>90Ra	19W	30°	Ø 90mm
2.11.1453 ¹	Focus Round Tilttable 22W	Brushed Aluminium	1750lm	3000K	>90Ra	19W	30°	Ø 90mm
2.11.1454 ¹	Focus Round Tilttable 22W	White	1750lm	3000K	>90Ra	19W	30°	Ø 90mm
2.11.1455 ¹	Focus Round Tilttable 22W	Black	1750lm	3000K	>90Ra	19W	30°	Ø 90mm
2.11.1456 ¹	Focus Round Tilttable 22W	Chrome	1860lm	4000K	>90Ra	19W	30°	Ø 90mm
2.11.1457 ¹	Focus Round Tilttable 22W	Brushed Aluminium	1860lm	4000K	>90Ra	19W	30°	Ø 90mm
2.11.1458 ¹	Focus Round Tilttable 22W	White	1860lm	4000K	>90Ra	19W	30°	Ø 90mm
2.11.1459 ¹	Focus Round Tilttable 22W	Black	1860lm	4000K	>90Ra	19W	30°	Ø 90mm

Smooth

2.11.1630 / 2.11.1631 ¹	Smooth Round Tilttable 8.4W	Aluminium	520lm	2700K	>90Ra	6W	38°	Ø 68mm
2.11.1633 / 2.11.1634 ¹	Smooth Round Tilttable 8.4W	White	520lm	2700K	>90Ra	6W	38°	Ø 68mm
2.11.1636 / 2.11.1637 ¹	Smooth Round Tilttable 8.4W	Aluminium	550lm	3000K	>90Ra	6W	38°	Ø 68mm
2.11.1639 / 2.11.1640 ¹	Smooth Round Tilttable 8.4W	White	550lm	3000K	>90Ra	6W	38°	Ø 68mm
2.11.1654 / 2.11.1655 ¹	Smooth Square Tilttable 8.4W	Aluminium	520lm	2700K	>90Ra	6W	38°	Ø 68mm
2.11.1657 / 2.11.1658 ¹	Smooth Square Tilttable 8.4W	White	520lm	2700K	>90Ra	6W	38°	Ø 68mm
2.11.1660 / 2.11.1661 ¹	Smooth Square Tilttable 8.4W	Aluminium	550lm	3000K	>90Ra	6W	38°	Ø 68mm
2.11.1663 / 2.11.1664 ¹	Smooth Square Tilttable 8.4W	White	550lm	3000K	>90Ra	6W	38°	Ø 68mm

¹ Article number with ¹ indicates that a Dimmable Driver is included.

Smooth

Round Square Turn- and Tilttable 8.4W	Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
	2.11.1642 / 2.11.1643 ¹	Smooth Round Turn- and Tilttable 8.4W	Alu.	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1645 / 2.11.1646 ¹	Smooth Round Turn- and Tilttable 8.4W	White	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1648 / 2.11.1649 ¹	Smooth Round Turn- and Tilttable 8.4W	Alu.	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.11.1651 / 2.11.1652 ¹	Smooth Round Turn- and Tilttable 8.4W	White	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.11.1666 / 2.11.1667 ¹	Smooth Square Turn- and Tilttable 8.4W	Alu.	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1669 / 2.11.1670 ¹	Smooth Square Turn- and Tilttable 8.4W	White	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1672 / 2.11.1673 ¹	Smooth Square Turn- and Tilttable 8.4W	Alu.	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.11.1675 / 2.11.1676 ¹	Smooth Square Turn- and Tilttable 8.4W	White	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.01.0720	Frame for double Smooth 8.4W LED Spot	Alu.	Cutout size: 80 x 155 mm					
	2.01.0721	Frame for double Smooth 8.4W LED Spot	White	Cutout size: 80 x 155 mm					
	For every frame, the Smooth Round Turn- and Tilttable 8.4W LED Spots should be ordered separately.								

Round 16W	2.11.1678 / 2.11.1679 ¹	Smooth Round Tilttable 16W	Aluminium	930lm	2700K	>90Ra	12W	38°	Ø 95mm
	2.11.1681 / 2.11.1682 ¹	Smooth Round Tilttable 16W	White	930lm	2700K	>90Ra	12W	38°	Ø 95mm
	2.11.1684 / 2.11.1685 ¹	Smooth Round Tilttable 16W	Aluminium	1000lm	3000K	>90Ra	12W	38°	Ø 95mm
	2.11.1687 / 2.11.1688 ¹	Smooth Round Tilttable 16W	White	1000lm	3000K	>90Ra	12W	38°	Ø 95mm

Aqua

IP65 8.4W	2.11.1690 / 2.11.1691 ¹	Aqua Round Fixed IP65	Aluminium	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1693 / 2.11.1694 ¹	Aqua Round Fixed IP65	White	520lm	2700K	>90Ra	6W	38°	Ø 75mm
	2.11.1696 / 2.11.1697 ¹	Aqua Round Fixed IP65	Aluminium	550lm	3000K	>90Ra	6W	38°	Ø 75mm
	2.11.1699 / 2.11.1700 ¹	Aqua Round Fixed IP65	White	550lm	3000K	>90Ra	6W	38°	Ø 75mm

Bex

Round 8W	2.11.1174 ¹	Bex Round Tilttable 8W	Brushed Aluminium	700lm	2700K	>80Ra	8W	40°	Ø 76mm
	2.11.1175 ¹	Bex Round Tilttable 8W	Brushed Aluminium	750lm	3000K	>80Ra	8W	40°	Ø 76mm
	2.11.1176 ¹	Bex Round Tilttable 8W	White	700lm	2700K	>80Ra	8W	40°	Ø 76mm
	2.11.1177 ¹	Bex Round Tilttable 8W	White	750lm	3000K	>80Ra	8W	40°	Ø 76mm

Square	2.11.1178 ¹	Bex Square Tilttable 8W	Brushed Aluminium	700lm	2700K	>80Ra	8W	40°	Ø 76mm
	2.11.1179 ¹	Bex Square Tilttable 8W	Brushed Aluminium	750lm	3000K	>80Ra	8W	40°	Ø 76mm
	2.11.1180 ¹	Bex Square Tilttable 8W	White	700lm	2700K	>80Ra	8W	40°	Ø 76mm
	2.11.1181 ¹	Bex Square Tilttable 8W	White	750lm	3000K	>80Ra	8W	40°	Ø 76mm

Etage

Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
2.11.2011 / 2.11.2012 ¹	Etage Round Tilttable Deep	Grey	700lm	2700K	>90Ra	9W	38°	Ø 80mm
2.11.2013 / 2.11.2014 ¹	Etage Round Tilttable Deep	Grey	740lm	3000K	>90Ra	9W	38°	Ø 80mm
2.11.2015 / 2.11.2016 ¹	Etage Round Tilttable Deep	Grey	790lm	4000K	>90Ra	9W	38°	Ø 80mm
2.11.2017 / 2.11.2018 ¹	Etage Round Tilttable Deep	White	700lm	2700K	>90Ra	9W	38°	Ø 80mm
2.11.2019 / 2.11.2020 ¹	Etage Round Tilttable Deep	White	740lm	3000K	>90Ra	9W	38°	Ø 80mm
2.11.2021 / 2.11.2022 ¹	Etage Round Tilttable Deep	White	790lm	4000K	>90Ra	9W	38°	Ø 80mm
2.11.2023 / 2.11.2024 ¹	Etage Round Tilttable Deep	Black	700lm	2700K	>90Ra	9W	38°	Ø 80mm
2.11.2025 / 2.11.2026 ¹	Etage Round Tilttable Deep	Black	740lm	3000K	>90Ra	9W	38°	Ø 80mm
2.11.2027 / 2.11.2028 ¹	Etage Round Tilttable Deep	Black	790lm	4000K	>90Ra	9W	38°	Ø 80mm

2.11.2029 / 2.11.2030 ¹	Etage Square Tilttable Deep	Grey	700lm	2700K	>90Ra	9W	38°	Ø 80mm
2.11.2031 / 2.11.2032 ¹	Etage Square Tilttable Deep	Grey	740lm	3000K	>90Ra	9W	38°	Ø 80mm
2.11.2033 / 2.11.2034 ¹	Etage Square Tilttable Deep	Grey	790lm	4000K	>90Ra	9W	38°	Ø 80mm
2.11.2035 / 2.11.2036 ¹	Etage Square Tilttable Deep	White	700lm	2700K	>90Ra	9W	38°	Ø 80mm
2.11.2037 / 2.11.2038 ¹	Etage Square Tilttable Deep	White	740lm	3000K	>90Ra	9W	38°	Ø 80mm
2.11.2039 / 2.11.2040 ¹	Etage Square Tilttable Deep	White	790lm	4000K	>90Ra	9W	38°	Ø 80mm
2.11.2041 / 2.11.2042 ¹	Etage Square Tilttable Deep	Black	700lm	2700K	>90Ra	9W	38°	Ø 80mm
2.11.2043 / 2.11.2044 ¹	Etage Square Tilttable Deep	Black	740lm	3000K	>90Ra	9W	38°	Ø 80mm
2.11.2045 / 2.11.2046 ¹	Etage Square Tilttable Deep	Black	790lm	4000K	>90Ra	9W	38°	Ø 80mm

¹ Article number with ¹ indicates that a Dimmable Driver is included.

Lika

Round Tilttable 13W	Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
	2.11.1975 / 2.11.1976 ¹	Lika Round Tilttable	Grey	700lm	2700K	>90Ra	9W	38°	Ø 80mm
	2.11.1977 / 2.11.1978 ¹	Lika Round Tilttable	Grey	740lm	3000K	>90Ra	9W	38°	Ø 80mm
	2.11.1979 / 2.11.1980 ¹	Lika Round Tilttable	Grey	790lm	4000K	>90Ra	9W	38°	Ø 80mm
	2.11.1981 / 2.11.1982 ¹	Lika Round Tilttable	White	700lm	2700K	>90Ra	9W	38°	Ø 80mm
	2.11.1983 / 2.11.1984 ¹	Lika Round Tilttable	White	740lm	3000K	>90Ra	9W	38°	Ø 80mm
	2.11.1985 / 2.11.1986 ¹	Lika Round Tilttable	White	790lm	4000K	>90Ra	9W	38°	Ø 80mm
	2.11.1987 / 2.11.1988 ¹	Lika Round Tilttable	Black	700lm	2700K	>90Ra	9W	38°	Ø 80mm
	2.11.1989 / 2.11.1990 ¹	Lika Round Tilttable	Black	740lm	3000K	>90Ra	9W	38°	Ø 80mm
	2.11.1991 / 2.11.1992 ¹	Lika Round Tilttable	Black	790lm	4000K	>90Ra	9W	38°	Ø 80mm
Square Tilttable 13W	2.11.1993 / 2.11.1994 ¹	Lika Square Tilttable	Grey	700lm	2700K	>90Ra	9W	38°	Ø 80mm
	2.11.1995 / 2.11.1996 ¹	Lika Square Tilttable	Grey	740lm	3000K	>90Ra	9W	38°	Ø 80mm
	2.11.1997 / 2.11.1998 ¹	Lika Square Tilttable	Grey	790lm	4000K	>90Ra	9W	38°	Ø 80mm
	2.11.1999 / 2.11.2000 ¹	Lika Square Tilttable	White	700lm	2700K	>90Ra	9W	38°	Ø 80mm
	2.11.2001 / 2.11.2002 ¹	Lika Square Tilttable	White	740lm	3000K	>90Ra	9W	38°	Ø 80mm
	2.11.2003 / 2.11.2004 ¹	Lika Square Tilttable	White	790lm	4000K	>90Ra	9W	38°	Ø 80mm
	2.11.2005 / 2.11.2006 ¹	Lika Square Tilttable	Black	700lm	2700K	>90Ra	9W	38°	Ø 80mm
	2.11.2007 / 2.11.2008 ¹	Lika Square Tilttable	Black	740lm	3000K	>90Ra	9W	38°	Ø 80mm
	2.11.2009 / 2.11.2010 ¹	Lika Square Tilttable	Black	790lm	4000K	>90Ra	9W	38°	Ø 80mm

Vela

Round Fixed Deep 13W	2.11.1957 / 2.11.1958 ¹	Vela Round Fixed Deep	Grey	650lm	2700K	>90Ra	9W	38°	Ø 75mm
	2.11.1959 / 2.11.1960 ¹	Vela Round Fixed Deep	Grey	700lm	3000K	>90Ra	9W	38°	Ø 75mm
	2.11.1961 / 2.11.1962 ¹	Vela Round Fixed Deep	Grey	800lm	4000K	>90Ra	9W	38°	Ø 75mm
	2.11.1963 / 2.11.1964 ¹	Vela Round Fixed Deep	White	650lm	2700K	>90Ra	9W	38°	Ø 75mm
	2.11.1965 / 2.11.1966 ¹	Vela Round Fixed Deep	White	700lm	3000K	>90Ra	9W	38°	Ø 75mm
	2.11.1967 / 2.11.1968 ¹	Vela Round Fixed Deep	White	800lm	4000K	>90Ra	9W	38°	Ø 75mm
	2.11.1969 / 2.11.1970 ¹	Vela Round Fixed Deep	Black	650lm	2700K	>90Ra	9W	38°	Ø 75mm
	2.11.1971 / 2.11.1972 ¹	Vela Round Fixed Deep	Black	700lm	3000K	>90Ra	9W	38°	Ø 75mm
	2.11.1973 / 2.11.1974 ¹	Vela Round Fixed Deep	Black	800lm	4000K	>90Ra	9W	38°	Ø 75mm

¹ Article number with ¹ indicates that a Dimmable Driver is included.

Fondo

Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)	Round Fixed Deep 12W
2.11.1849 / 2.11.1850 ¹	Fondo Round Fixed Deep	Grey	650lm	2700K	>90Ra	9W	38°	Ø 75mm	
2.11.1851 / 2.11.1852 ¹	Fondo Round Fixed Deep	Grey	700lm	3000K	>90Ra	9W	38°	Ø 75mm	
2.11.1853 / 2.11.1854 ¹	Fondo Round Fixed Deep	Grey	800lm	4000K	>90Ra	9W	38°	Ø 75mm	
2.11.1855 / 2.11.1856 ¹	Fondo Round Fixed Deep	White	650lm	2700K	>90Ra	9W	38°	Ø 75mm	
2.11.1857 / 2.11.1858 ¹	Fondo Round Fixed Deep	White	700lm	3000K	>90Ra	9W	38°	Ø 75mm	
2.11.1859 / 2.11.1860 ¹	Fondo Round Fixed Deep	White	800lm	4000K	>90Ra	9W	38°	Ø 75mm	
2.11.1861 / 2.11.1862 ¹	Fondo Round Fixed Deep	Black	650lm	2700K	>90Ra	9W	38°	Ø 75mm	
2.11.1863 / 2.11.1864 ¹	Fondo Round Fixed Deep	Black	700lm	3000K	>90Ra	9W	38°	Ø 75mm	Round Tilttable Deep 12W
2.11.1865 / 2.11.1866 ¹	Fondo Round Fixed Deep	Black	800lm	4000K	>90Ra	9W	38°	Ø 75mm	
2.11.1831 / 2.11.1832 ¹	Fondo Round Tilttable Deep	Grey	650lm	2700K	>90Ra	9W	38°	Ø 70mm	
2.11.1833 / 2.11.1834 ¹	Fondo Round Tilttable Deep	Grey	700lm	3000K	>90Ra	9W	38°	Ø 70mm	
2.11.1835 / 2.11.1836 ¹	Fondo Round Tilttable Deep	Grey	800lm	4000K	>90Ra	9W	38°	Ø 70mm	
2.11.1837 / 2.11.1838 ¹	Fondo Round Tilttable Deep	White	650lm	2700K	>90Ra	9W	38°	Ø 70mm	
2.11.1839 / 2.11.1840 ¹	Fondo Round Tilttable Deep	White	700lm	3000K	>90Ra	9W	38°	Ø 70mm	
2.11.1841 / 2.11.1842 ¹	Fondo Round Tilttable Deep	White	800lm	4000K	>90Ra	9W	38°	Ø 70mm	
2.11.1843 / 2.11.1844 ¹	Fondo Round Tilttable Deep	Black	650lm	2700K	>90Ra	9W	38°	Ø 70mm	
2.11.1845 / 2.11.1846 ¹	Fondo Round Tilttable Deep	Black	700lm	3000K	>90Ra	9W	38°	Ø 70mm	
2.11.1847 / 2.11.1848 ¹	Fondo Round Tilttable Deep	Black	800lm	4000K	>90Ra	9W	38°	Ø 70mm	

¹ Article number with ¹ indicates that a Dimmable Driver is included.

Fondo Asymmetric

Round Fixed Deep 13W	Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
	2.11.1867 / 2.11.1868 ¹	Fondo Asymmetric Round Fixed Deep	Grey	650lm	2700K	>90Ra	9W	20°	Ø 85mm
	2.11.1869 / 2.11.1870 ¹	Fondo Asymmetric Round Fixed Deep	Grey	700lm	3000K	>90Ra	9W	20°	Ø 85mm
	2.11.1871 / 2.11.1872 ¹	Fondo Asymmetric Round Fixed Deep	Grey	800lm	4000K	>90Ra	9W	20°	Ø 85mm
	2.11.1873 / 2.11.1874 ¹	Fondo Asymmetric Round Fixed Deep	White	650lm	2700K	>90Ra	9W	20°	Ø 85mm
	2.11.1875 / 2.11.1876 ¹	Fondo Asymmetric Round Fixed Deep	White	700lm	3000K	>90Ra	9W	20°	Ø 85mm
	2.11.1877 / 2.11.1878 ¹	Fondo Asymmetric Round Fixed Deep	White	800lm	4000K	>90Ra	9W	20°	Ø 85mm
	2.11.1879 / 2.11.1880 ¹	Fondo Asymmetric Round Deep Fixed	Black	650lm	2700K	>90Ra	9W	20°	Ø 85mm
	2.11.1881 / 2.11.1882 ¹	Fondo Asymmetric Round Deep Fixed	Black	700lm	3000K	>90Ra	9W	20°	Ø 85mm
	2.11.1883 / 2.11.1884 ¹	Fondo Asymmetric Round Deep Fixed	Black	800lm	4000K	>90Ra	9W	20°	Ø 85mm
	2.11.1885 / 2.11.1886 ¹	Fondo Asymmetric Square Fixed Deep	Grey	650lm	2700K	>90Ra	9W	20°	86x83mm
	2.11.1887 / 2.11.1888 ¹	Fondo Asymmetric Square Fixed Deep	Grey	700lm	3000K	>90Ra	9W	20°	86x83mm

Square Fixed Deep 13W	2.11.1889 / 2.11.1890 ¹	Fondo Asymmetric Square Fixed Deep	Grey	800lm	4000K	>90Ra	9W	20°	86x83mm
	2.11.1891 / 2.11.1892 ¹	Fondo Asymmetric Square Fixed Deep	White	650lm	2700K	>90Ra	9W	20°	86x83mm
	2.11.1893 / 2.11.1894 ¹	Fondo Asymmetric Square Fixed Deep	White	700lm	3000K	>90Ra	9W	20°	86x83mm
	2.11.1895 / 2.11.1896 ¹	Fondo Asymmetric Square Fixed Deep	White	800lm	4000K	>90Ra	9W	20°	86x83mm
	2.11.1897 / 2.11.1898 ¹	Fondo Asymmetric Square Fixed Deep	Black	650lm	2700K	>90Ra	9W	20°	86x83mm
	2.11.1899 / 2.11.1900 ¹	Fondo Asymmetric Square Fixed Deep	Black	700lm	3000K	>90Ra	9W	20°	86x83mm
	2.11.1901 / 2.11.1902 ¹	Fondo Asymmetric Square Fixed Deep	Black	800lm	4000K	>90Ra	9W	20°	86x83mm

Squadra

Square Turn- and Tilttable 13W	2.11.1939 / 2.11.1940 ¹	Squadra Square Turn- and Tilttable Deep	Grey	650lm	2700K	>90Ra	9W	38°	Ø 75mm
	2.11.1941 / 2.11.1942 ¹	Squadra Square Turn- and Tilttable Deep	Grey	700lm	3000K	>90Ra	9W	38°	Ø 75mm
	2.11.1943 / 2.11.1944 ¹	Squadra Square Turn- and Tilttable Deep	Grey	800lm	4000K	>90Ra	9W	38°	Ø 75mm
	2.11.1945 / 2.11.1946 ¹	Squadra Square Turn- and Tilttable Deep	White	650lm	2700K	>90Ra	9W	38°	Ø 75mm
	2.11.1947 / 2.11.1948 ¹	Squadra Square Turn- and Tilttable Deep	White	700lm	3000K	>90Ra	9W	38°	Ø 75mm
	2.11.1949 / 2.11.1950 ¹	Squadra Square Turn- and Tilttable Deep	White	800lm	4000K	>90Ra	9W	38°	Ø 75mm
	2.11.1951 / 2.11.1952 ¹	Squadra Square Turn- and Tilttable Deep	Black	650lm	2700K	>90Ra	9W	38°	Ø 75mm
	2.11.1953 / 2.11.1954 ¹	Squadra Square Turn- and Tilttable Deep	Black	700lm	3000K	>90Ra	9W	38°	Ø 75mm
	2.11.1955 / 2.11.1956 ¹	Squadra Square Turn- and Tilttable Deep	Black	800lm	4000K	>90Ra	9W	38°	Ø 75mm

Teto

Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)	Round Tilttable Deep Dark 12W
2.11.1903 / 2.11.1904 ¹	Teto Round Tilttable Deep Dark	Grey	650lm	2700K	>90Ra	9W	20°	Ø 75mm	
2.11.1905 / 2.11.1906 ¹	Teto Round Tilttable Deep Dark	Grey	700lm	3000K	>90Ra	9W	20°	Ø 75mm	
2.11.1907 / 2.11.1908 ¹	Teto Round Tilttable Deep Dark	Grey	800lm	4000K	>90Ra	9W	20°	Ø 75mm	
2.11.1909 / 2.11.1910 ¹	Teto Round Tilttable Deep Dark	White	650lm	2700K	>90Ra	9W	20°	Ø 75mm	
2.11.1911 / 2.11.1912 ¹	Teto Round Tilttable Deep Dark	White	700lm	3000K	>90Ra	9W	20°	Ø 75mm	
2.11.1913 / 2.11.1914 ¹	Teto Round Tilttable Deep Dark	White	800lm	4000K	>90Ra	9W	20°	Ø 75mm	
2.11.1915 / 2.11.1916 ¹	Teto Round Tilttable Deep Dark	Black	650lm	2700K	>90Ra	9W	20°	Ø 75mm	
2.11.1917 / 2.11.1918 ¹	Teto Round Tilttable Deep Dark	Black	700lm	3000K	>90Ra	9W	20°	Ø 75mm	
2.11.1919 / 2.11.1920 ¹	Teto Round Tilttable Deep Dark	Black	800lm	4000K	>90Ra	9W	20°	Ø 75mm	
2.11.1921 / 2.11.1922 ¹	Teto Round Tilttable Deep Glossy	Grey	650lm	2700K	>90Ra	9W	20°	Ø 75mm	Round Tilttable Deep Glossy 12W
2.11.1923 / 2.11.1924 ¹	Teto Round Tilttable Deep Glossy	Grey	700lm	3000K	>90Ra	9W	20°	Ø 75mm	

2.11.1925 / 2.11.1926 ¹	Teto Round Tilttable Deep Glossy	Grey	800lm	4000K	>90Ra	9W	20°	Ø 75mm
2.11.1927 / 2.11.1928 ¹	Teto Round Tilttable Deep Glossy	White	650lm	2700K	>90Ra	9W	20°	Ø 75mm
2.11.1929 / 2.11.1930 ¹	Teto Round Tilttable Deep Glossy	White	700lm	3000K	>90Ra	9W	20°	Ø 75mm
2.11.1931 / 2.11.1932 ¹	Teto Round Tilttable Deep Glossy	White	800lm	4000K	>90Ra	9W	20°	Ø 75mm
2.11.1933 / 2.11.1934 ¹	Teto Round Tilttable Deep Glossy	Black	650lm	2700K	>90Ra	9W	20°	Ø 75mm
2.11.1935 / 2.11.1936 ¹	Teto Round Tilttable Deep Glossy	Black	700lm	3000K	>90Ra	9W	20°	Ø 75mm
2.11.1937 / 2.11.1938 ¹	Teto Round Tilttable Deep Glossy	Black	800lm	4000K	>90Ra	9W	20°	Ø 75mm

¹ Article number with ¹ indicates that a Dimmable Driver is included.

¹ Article number with ¹ indicates that a Dimmable Driver is included.

Dark

Round Tilttable Deep Dark 12W	Article number	Product Name	Color	LED Lumens	CCT	CRI	LED Power	Reflector	Cutout size (mm)
	2.11.1795 / 2.11.1796 ¹	Round Tilttable Deep Dark	Grey	650lm	2700K	>90Ra	9W	20°	Ø 75mm
	2.11.1797 / 2.11.1798 ¹	Round Tilttable Deep Dark	Grey	700lm	3000K	>90Ra	9W	20°	Ø 75mm
	2.11.1799 / 2.11.1800 ¹	Round Tilttable Deep Dark	Grey	800lm	4000K	>90Ra	9W	20°	Ø 75mm
	2.11.1801 / 2.11.1802 ¹	Round Tilttable Deep Dark	White	650lm	2700K	>90Ra	9W	20°	Ø 75mm
	2.11.1803 / 2.11.1804 ¹	Round Tilttable Deep Dark	White	700lm	3000K	>90Ra	9W	20°	Ø 75mm
	2.11.1805 / 2.11.1806 ¹	Round Tilttable Deep Dark	White	800lm	4000K	>90Ra	9W	20°	Ø 75mm
	2.11.1807 / 2.11.1808 ¹	Round Tilttable Deep Dark	Black	650lm	2700K	>90Ra	9W	20°	Ø 75mm
	2.11.1809 / 2.11.1810 ¹	Round Tilttable Deep Dark	Black	700lm	3000K	>90Ra	9W	20°	Ø 75mm
	2.11.1811 / 2.11.1812 ¹	Round Tilttable Deep Dark	Black	800lm	4000K	>90Ra	9W	20°	Ø 75mm
Oval Tilttable Deep Dark 12W	2.11.1813 / 2.11.1814 ¹	Oval Tilttable Deep Dark	Grey	650lm	2700K	>90Ra	9W	20°	Ø 75mm
	2.11.1815 / 2.11.1816 ¹	Oval Tilttable Deep Dark	Grey	700lm	3000K	>90Ra	9W	20°	Ø 75mm
	2.11.1817 / 2.11.1818 ¹	Oval Tilttable Deep Dark	Grey	800lm	4000K	>90Ra	9W	20°	Ø 75mm
	2.11.1819 / 2.11.1820 ¹	Oval Tilttable Deep Dark	White	650lm	2700K	>90Ra	9W	20°	Ø 75mm
	2.11.1821 / 2.11.1822 ¹	Oval Tilttable Deep Dark	White	700lm	3000K	>90Ra	9W	20°	Ø 75mm
	2.11.1823 / 2.11.1824 ¹	Oval Tilttable Deep Dark	White	800lm	4000K	>90Ra	9W	20°	Ø 75mm
	2.11.1825 / 2.11.1826 ¹	Oval Tilttable Deep Dark	Black	650lm	2700K	>90Ra	9W	20°	Ø 75mm
	2.11.1827 / 2.11.1828 ¹	Oval Tilttable Deep Dark	Black	700lm	3000K	>90Ra	9W	20°	Ø 75mm
	2.11.1829 / 2.11.1830 ¹	Oval Tilttable Deep Dark	Black	800lm	4000K	>90Ra	9W	20°	Ø 75mm

Accent Two

Round Max. 3W	2.11.1127	Cabinet LED Spot Accent Two	Brushed Aluminium	240lm	3000K	>80Ra	Max. 3W	90°	Ø 55mm
	2.11.1591	Cabinet LED Spot Accent Two	White	240lm	3000K	>80Ra	Max. 3W	90°	Ø 55mm
	2.01.0802	Accent Two Frame	Brushed Aluminium	Dimensions: Ø72 H:17					
	2.01.0803	Accent Two Frame	White	Dimensions: Ø72 H:17					
	3.10.0331	LED Driver PLKE 350mA 8.4W		Dimensions: 33 x 122 x 20mm					

Copyright / Disclaimer

Lumi Parts makes every effort to maintain the accuracy and quality of the information provided in this brochure. However, Lumi Parts cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided.

The information contained in this brochure is for general guidance only and is subject to change without notice. You should take appropriate professional advice on your particular circumstances, since the application of our products may vary depending on particular circumstances.

The copyright of all content in this brochure is owned by Lumi Parts or its partners. No part of the Lumi Parts brochure may be changed, reproduced, shared on any website or medium without the prior written permission of Lumi Parts.

For up to date product information or if you have any questions, please visit our website www.lumiparts.nl or call us at +31(0)172-574500.

Requests to republish any material must be sent to info@lumiparts.nl.

Lumi Parts B.V.
Nijverheidsweg 2
2421 LR Nieuwkoop
The Netherlands
Tel. +31(0)172-574500
Fax. +31(0)172-574592
info@lumiparts.nl
www.lumiparts.nl



¹ Article number with ¹ indicates that a Dimmable Driver is included.

Lumi Parts B.V.
Nijverheidsweg 2
2421 LR Nieuwkoop
The Netherlands
Tel. +31(0)172-574500
Fax. +31(0)172-574592
info@lumiparts.nl
www.lumiparts.nl